

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	296	loopback adj address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 18:46
L2	31	loopback adj address and (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 18:54
L3	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L4	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L5	150	(gateway) same (router) same (vector) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L6	4	(gateway) same (router) same (vector) with (protocol) same (optimal) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L7	4	(gateway) same (router) same (optimal) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

L8	14	(gateway) same (router) same (optimal or best) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L9	574	(loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L10	10	(loopback) near4 (address\$2) with (BGP)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L11	89	(loopback) near4 (address\$2) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L12	23	(loopback) near4 (address\$2) same (router) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L13	15	(loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L14	1	(assigned) same (loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L15	17	(assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L16	17	(assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

L17	6	{assigned} same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L18	10	{assigned} same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L19	10942	709/238,239.ccls. and (loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L20	10593	709/238,239.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L21	11	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L22	0	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L23	7	{loopback} near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L24	8	{loopback} near4 (address\$2) same (rout\$3 or path) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L25	0	{loopback} near4 (address\$2) same (status) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

L26	29	(loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L27	21	Rout\$4 and (loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L28	42	BGP same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
L29	6	"594461".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S1	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:42
S2	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:42
S3	137	(gateway) same (router) same (vector) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:43
S4	4	(gateway) same (router) same (vector) with (protocol) same (optimal) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:43
S5	4	(gateway) same (router) same (optimal) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:54

S6	11	(gateway) same (router) same (optimal or best) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:56
S7	523	(loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:02
S8	8	(loopback) near4 (address\$2) with (BGP)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:03
S9	79	(loopback) near4 (address\$2) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:06
S10	19	(loopback) near4 (address\$2) same (router) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:06
S11	14	(loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:10
S12	1	(assigned) same (loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:14
S13	15	(assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:26
S14	15	(assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:39

S15	6	(assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:39
S16	8	(assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 17:41
S17	39	709/238,239.ccls. and (loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 18:53
S18	26	709/238,239.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 19:01
S19	10	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:19
S20	0	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:25
S21	6	(loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:25
S22	7	(loopback) near4 (address\$2) same (rout\$3 or path) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:30
S23	0	(loopback) near4 (address\$2) same (status) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:31

S24	29	(loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:31
S25	21	Rout\$4 and (loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:37
S26	41	BGP same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:38
S27	5	"594461".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:55

4/ 10/ 2009 7:31:11 PM

C:\Documents and Settings\abilgrami\My Documents\EAST\Workspaces\10670940.wsp